

FILTRO COMBUSTIBLE • FUEL FILTER • FILTRO BENZINA

Consultar filtros específicos para una marca en su catálogo.
Consult specific filters for a brand in his catalog.
Consulta i filtri specifici per un marchio nel suo catalogo.

FILTRO PARA MONTAJE EN LÍNEA IN-LINE FILTER FILTRO PER MONTARE IN LÍNEA

REF			
GS31185	6-8 mm	1	
GS31186	6-8 mm	1	Cubeta extraíble Removable bowl Vasca estraibile




GS31185

GS31186


GOLDENSHIP

REF		MOTORES ENGINES MOTORI
REC35-80365M	6 mm	2-8 HP (2 Tiempos Strokes Tempi) 8-15 HP (4 Tiempos Strokes Tempi)



RECMAR


REF	R.O. OEM R.O.		MOTORES ENGINES MOTORI
PAF4-05000300	35-16248	6 mm	4-9.8 HP (2 Tiempos Strokes Tempi) 4-25 HP (4 Tiempos Strokes Tempi)



RECMAR

De plástico Plastic In plastica

REF		
REC40145	1/4"	
REC40155	5/16"	
REC40165	3/8"	
REC40135	5/16" Entrada In Entrata 3/8" Salida Out Uscita	



RECMAR

De metal y cristal. Montaje en línea. Racors para mangueras de 6-8-10 mm.

In-line. Clear body permits visual inspection. Racors 6-8-10 mm.

Di metallo e cristallo. Montare in línea. Raccordi per tubi da 6-8-10 mm.



REF		
GS30435	6, 8, 10 mm	1



GOLDENSHIP

Filtro transparente para gasolina o gasoil. Transparent plastic in line filter for petrol and diesel. Filtro trasparente per benzina o gasolio.

REF			
GS31001	50 l/h	6-8 mm	1
GS31002	150 l/h	8-10 mm	1

GS31001

GS31002

GOLDENSHIP

FILTRO COMBUSTIBLE SEPARADOR DE AGUA WATER SEPARATING FUEL FILTER FILTRO SEPARATORE ACQUA-BENZINA

REF	MICRAS MICRON MICRON	
REC24942	10	4-7/16"
REC35-802893Q01	10	4-7/16"
REC855686	28	4-7/16"
REC35-802893Q	25	3-3/4"
RACPF5510	10	4-7/16"






REC24942 REC35-802893Q01 REC855686 REC35-802893Q


RECMAR

RACOR

RACPF5510

Filtro original. OEM filter. Filtro benzina originale.

REF	MICRAS MICRON MICRON	
RM35-802893Q	10	3-3/4"




RECMAR

FILTRO CON BRACKET Bracket de Aluminio. Con 2 tapones de bronce y 1 tubo de extensión.

OEM FILTER WITH BRACKET Cast Aluminium Bracket. With 2 brass plugs & 1 extension tube.

FILTRO BENZINA CON SUPPORTO Supporto in alluminio. Con 2 tappi di bronzo e 1 tubo di estensione.

REF	MICRAS MICRON MICRON		
REC24950	25	1/4"	50 GPH
REC24952	10	1/4"	50 GPH



RECMAR

FILTRO DECANTADOR GASOLINA COMPLETE FUEL FILTER FILTRO DECANTATORE BENZINA

Filtro de combustible con braket. Complete fuel filter with braket. Filtro combustibile con supporto.

FILTRO COMPLETO COMPLET FILTER FILTRO COMPLETO	CARTUCHO RECAMBIO REPLACEMENT ELEMENT CARTUCCIA DI RICAMBIO	MOTORES ENGINES MOTORI
RAC23299-10	RAC23289-10	130 HP (4 TIEMPOS STROKES TEMPI)




RACOR

FILTRO DECANTADOR GASOLINA
COMPLETE FUEL FILTER
FILTRO DECANTATORE BENZINA

RACOR.



	RAC120R-RAC-01	RAC320R-RAC-01	RAC320R-INOX-01	RAC320R-RAC-02
FLUJO MÁXIMO MAX. FLOW FLUSSO MASSIMO	114 l/h 30 gph	340 l/h 60 gph	340 l/h 60 gph	340 l/h 60 gph
ELEMENTO ELEMENT ELEMENTO	RACS3240	RACS3213	RACS3213	RACS3220UL
CAZOLETA TRANSPARENTE (sólo se recomienda para fueraborda.) CLEAR BOWL (Just for outboards) VASCHETTA TRASPARENTE (Solo nei fuoribordo.)	✓	✓	✓	✗
ROSCAS CENTRALES CENTRAL THREADS FILETTO CENTRALE	M18 x 1.5	1 1/4"	1 1/4"	1 1/4"
TAMAÑO ROSCA CABEZA HEAD PORT SIZE DIMENSIONE VITE TESTA	1/4-18 NPTF	1/4-18 NPTF	1/4-18 NPTF	1/4-18 NPTF
ALTURA X ANCHO X PROF. HEIGHT X WIDTH X DEPTH ALTEZZA X LARGH X PROF.	166 x 81 x 81 mm	238 x 102 x 102 mm	238 x 102 x 102 mm	238 x 102 x 102 mm
PESO WEIGHT PESO	0,5 kg	0,9 kg	0,9 kg	0,9 kg
CAIDA DE PRESIÓN PRESSURE DROP CADUTA DI PRESSIONE	0.15 PSI 0.01 bar	0.61 PSI 0.04 bar	0.61 PSI 0.04 bar	0.61 PSI 0.04 bar
PRESIÓN MÁXIMA MAX. PRESSURE PRESSIONE MASSIMA	7 PSI 0.05 bar	7 PSI 0.05 bar	7 PSI 0.05 bar	7 PSI 0.05 bar
DESMONTAJE CARTUCHO-CAZOLETA ELEMENT REMOVAL UNDERBOWL RIMOZIONE DELLA CARTUCCIA	25,4 mm 1"	25,4 mm 1"	25,4 mm 1"	25,4 mm 1"
TEMPERATURA DE TRABAJO OPERATING TEMPERATURE TEMPERATURA DI LAVORO	-40°C +124°C			

ELEMENTOS DE RECAMBIO
ELEMENT
ELEMENTI DI RICAMBIO

REF	R.O.M. OEM R.O.	FILTRO FILTER FILTRO
RACS3240 LENS3240		RAC120R-RAC-01
RACS3227 LENS3227	YMM-2E227-00	Yamaha-Suzuki
RACS3213 LENS3213		RAC320R-RAC-01 RAC320R-RAC-01 INOX RAC320R-RAC-03
RACS3214		Reemplaza Johnson & Evinrude Replaces Johnson & Evinrude Sostituisce Johnson & Evinrude
RACS3228UL		RAC320R-RAC-02, con/with bracket RACOR



LENS3240
LENS3227
LENS3214



RACS3240
RACS3227
RACS3214



RACS3228UL

RACORS
RACORS
RACCORDI

Para filtros:
RAC120R-RAC-01,
RAC320R-RAC-01,
RAC320R-RAC-02

For fuel filters:
RAC120R-RAC-01,
RAC320R-RAC-01,
RAC320R-RAC-02

Per filtro:
RAC120R-RAC-01,
RAC320R-RAC-01,
RAC320R-RAC-02

REF	90° ELBOW GOMITO	90° RECTO STRAIGHT DRITTO	
GS31065	1/4" NPT	3/8"	1
GS31066	1/4" NPT	5/16"	2
GS31067	1/4" NPT	3/8"	2

GOLDENSHIP



GS31065



GS31066
GS31067



CÁMARA MOTOR / CASCO • ENGINE CAMERA / HULL • CAMERA MOTORE / SCAFO

RECAMBIO
MARINOS

FILTRO DECANTADOR DIESEL
COMPLETE DIESEL FILTER
FILTRO DECANTATORE DIESEL



Filtro de decantación completo con vaso transparente.

Complete fuel filter with transparent bowl.

Filtro di decantazione completo con vaschetta trasparente.

FILTRO COMPLETO
COMPLET FILTER
FILTRO COMPLETO

CARTUCHO RECAMBIO
REPLACEMENT ELEMENT
CARTICCIA DI RICAMBIO



REC1140639

REC3581078

50 l/h



KIT RACORS PARA FILTROS DIESEL
KIT RACORS FOR DIESEL FILTER
KIT RACCORDO PER FILTRO DIESEL



RECTOS
STRAIGHT
DRITTO

REF		
GS30430	8 mm	2
GS30431	10 mm	2



ORIENTABLES
GUIDEBLE
ORIENTABILE

REF		
GS30432	8 mm	2
GS30433	10 mm	2

FILTRO CON CAZOLETA
BOWL FILTERS
FILTRO CON COPPA



RACOR

	RAC500MA30	RAC900MA30	RAC1000MA30	RAC75/500MAX	RAC75/1000MA30
FLUJO MÁXIMO MAX. FLOW FLUSSO MASSIMO	227 l/h 60 gph	341 l/h 90 gph	681 l/h 180 gph	454 l/h 120 gph	681 / 1363 l/h 180 / 360 gph
ELEMENTO ELEMENT ELEMENTO	2010	2040	2020	2010	2020
ALTURA X ANCHO X PROF. HEIGHT X WIDTH X DEPTH ALTEZZA X LARGH X PROF.	292 x 147 x 122 mm	432 x 152 x 178 mm	559 x 152 x 178 mm	292 x 368 x 241 mm	559 x 476 x 279 mm
TAMAÑO ROSCA CABEZA HEAD PORT SIZE DIMENSIONE VITE TESTA	1/4-18 NPTF	1/4-18 NPTF	1/4-18 NPTF	1/4-18 NPTF	
PESO WEIGHT PESO	2 kg	3 kg	5 kg	7,7 kg	13,6 kg
CAIDA DE PRESIÓN PRESSURE DROP CADUTA DI PRESSIONE	0.61 PSI 0.04 bar	0.34 PSI 0.02 bar	0.49 PSI 0.03 bar	0.70 PSI 0.05 bar	3.70 PSI 0.25 bar
PRESIÓN MÁXIMA MAX. PRESSURE PRESSIONE MASSIMA	15 PSI 1 bar	15 PSI 1 bar	15 PSI 1 bar	15 PSI 1 bar	15 PSI 1 bar
ALTURA CLEARN. ALTEZZA	102 mm	127 mm	254 mm	102 mm	254 mm

ELEMENTOS DE RECAMBIO
ELEMENT
ELEMENTI DI RICAMBIO

REF	REF	REF	MICRAS	
500	900	1000	MICROM	
RAC2010SM-OR	RAC2040SM-OR	RAC2020SM-OR	2	
RAC2010TM-OR	RAC2040TM-OR	RAC2020TM-OR	10	
RAC2010PM-OR	RAC2040PM-OR	RAC2020PM-OR	30	

S: SECUNDARIO
T: PRIMARIO O
SECUNDARIO/FINAL
P: PRIMARIO

S: SECONDARY FINAL
T: PRIMARY OR
SECONDARY FINAL
P: PRIMARY

S: SECONDARIO
T: PRIMARIO O
SECONDARIO
P: PRIMARIO



RACOR

FILTRO DECANTADOR DIESEL
COMPLETE DIESEL FILTER
FILTRO DECANTATORE DIESEL



RACOR

	RAC110A	RAC120AS	RAC230R2	RAC245R2	RAC460R2	RAC490R2
FLUJO MÁXIMO MAX. FLOW FLUSSO MASSIMO	57 l/h 15 gph	57 l/h 15 gph	114 l/h 30 gph	170 l/h 45 gph	227 l/h 60 gph	341 l/h 90 gph
ELEMENTO ELEMENT ELEMENTO	RACR11T	RACR12	RACR20	RACR25	RACR60	RACR90
DIESEL	✓	✓	✓	✓	✓	✓
GASOLINA GAS BENZINA	✓	✓				
CAZOLETA TRANSPARENTE CLEAR BOWL VASCHETTA TRASPARENTE	✗	✓	✓	✓	✓	✓
INSTALACIÓN VACUÓMETRO VACUUM INSTALLATION INSTALLAZIONE VACUOMETRO	✓	✓	✓	✓	✓	✓
INSTALACIÓN PRESIÓN PRESSURE INSTALLATION INSTALLAZIONE PRESSIONE	✓	✓	✓	✓	✓	✓
ALTURA X ANCHO X PROF. HEIGHT X WIDTH X DEPTH ALTEZZA X LARGH X PROF.	152 x 81 x 81 mm	165 x 81 x 81 mm	229 x 102 x 102 mm	267 x 102 x 102 mm	279 x 114 x 121 mm	300 x 114 x 121 mm
PESO WEIGHT PESO	0,59 kg	0,59 kg	0,90 kg	1 kg	1,3 kg	1,4 kg
CAIDA DE PRESIÓN PRESSURE DROP CADUTA DI PRESSIONE	0.15 PSI 0.01 bar	0.15 PSI 0.01 bar	0.31 PSI 0.02 bar	0.61 PSI 0.04 bar	0.39 PSI 0.03 bar	0.95 PSI 0.06 bar
PRESIÓN MÁXIMA MAX. PRESSURE PRESSIONE MASSIMA	100 PSI	7 PSI	30 PSI	30 PSI	30 PSI	30 PSI
TAMAÑO ENTRADA INLET SIZE DIMENSIONI ENTRATA	1/4" NPT	1/4" NPT	1/4" NPT	1/4" NPT	3/8" NPT	3/8" NPT
BOMBA CEBADO (SÓLO PARA DIESEL) PRIMER PUMP (ONLY DIESEL) POMPA (SOLO PER DIESEL)	✗	✗	✓	✓	✓	✓
Nº TOMAS NUM. OF PORTS Nº FORI	4	4	3	3	4	4
TIPO DRENAJE DRAIN TYPE TIPO DRENAGGIO	Sello positivo Positive seal Tenuta positiva	Sello positivo Positive seal Tenuta positiva	Sello positivo Positive seal Tenuta positiva	Sello positivo Positive seal Tenuta positiva	Sello positivo Positive seal Tenuta positiva	Sello positivo Positive seal Tenuta positiva
OPCIÓN SENSOR AGUA WATER SENSOR OPTION OPZIONE SENSORE ACQUA	✗	✓	✓	✓	✓	✓

ELEMENTOS DE RECAMBIO
ELEMENT
ELEMENTI DI RICAMBIO

REF	MICRAS MICROM MICROM
RACR11T	10
RACR12S	2
RACR12T	10
RACR12P	30
RACR20S	2
RACR20T	10
RACR20P	30



REF	MICRAS MICROM MICROM
RACR24S	2
RACR24T	10
RACR24P	30
RACR25S	2
RACR25T	10
RACR25P	30
RACR26S	2
RACR26T	10
RACR26P	30



REF	MICRAS MICROM MICROM
RACR60S	2
RACR60T	10
RACR60P	30
RACR90S	2
RACR90T	10
RACR90P	30



S: SECUNDARIO
T: PRIMARIO O
SECUNDARIO/FINAL
P: PRIMARIO

S: SECONDARY FINAL
T: PRIMARY OR
SECONDARY FINAL
P: PRIMARY





S: SECONDARIO
T: PRIMARIO O
SECONDARIO
P: PRIMARIO




CÁMARA MOTOR / CASCO • ENGINE CAMERA / HULL • CAMERA MOTORE / SCAFO

RECAMBIOS
MARINOS

FILTROS TIPO SEPAR 2000
 FILTER TYPE SEPAR 2000
 FILTRI DI TIPO SEPAR 2000

REF	MICRAS MICROM	 (l/h)	 (mm)	 (mm)	 (mm)
RECGS00530	10	300	75	24	75
RECGS01030	30	600	88	55	88
RECGS01830	30	1080	136	55	138






CÁMARA MOTOR / CASCO • ENGINE CAMERA / HULL • CAMERA MOTORE / SCAFO

ACCESORIOS DE FILTRACIÓN
 FILTRATION ACCESSORIES • ACCESSORI PER FILTRAZIONE

RACORS
 RACORS
 RACCORDI

Fabricado en latón. Para filtros RACOR. Made in machined brass. For RACOR filters. In ottone. Per filtri RACOR

REF			PARA FILTROS FOR FILTERS PER FILTRI	
RAC913-010-H10	7/8" = 14	5/8" = 16 mm	900 & 1000MA30	1
RAC913-010-H8	7/8" = 14	1/2" = 13 mm	900 & 1000MA30	1
RAC913-08-H6	3/4" = 16	3/8" = 10 mm	500MA30	1
RAC913-08-H8	3/4" = 16	1/2" = 13 mm	500MA30	1



VÁLVULA DRENAJE AGUA DE FILTROS RACOR
 DRAIN VALVE FOR RACOR FILTERS
 VALVOLA DRENAGGIO ACQUA PER FILTRI RACOR

REF RACRK19492UL



SENSOR DE AGUA
 WATER SENSOR
 SENSORE ACQUA

Sólo para filtros Diesel. No utilizar con gasolina. Only for diesel applications. Do not use with gasoline. Solo per filtri Diesel. NON benzina

REF RECRK21069






MANÓMETRO
 VACUUM GAUGE
 MANOMETRO

REF RAC1606B



Fabricado en latón. Para filtros RACOR 500, 900, 1000. Made in machined brass. For RACOR filters 500, 900, 1000. In ottone. Filtri RACOR 500, 900, 1000

REF			PARA FILTROS FOR FILTERS PER FILTRI	
RAC1/2F-1/2M	7/8"	1/2"	900 1000	1
RAC3/8F-3/8M	3/4"	3/8"	500	1






RELOJ SENSOR DE AGUA
 WATER ALARM
 ALLARME SENSORE ACQUA

REF RACRK20726



Fabricado en latón. Para filtros RACOR 500, 900, 1000. Made in machined brass. For RACOR filters 500, 900, 1000. In ottone. Filtri RACOR 500, 900, 1000

REF				RECMAR
RAC1/2X16	1/2"	16 mm	1	
RAC1/2X18	1/2"	18 mm	1	
RAC1/2X20	1/2"	20 mm	1	
RAC3/8X10	3/8"	10 mm	1	
RAC3/8X12	3/8"	12 mm	1	
RAC3/8X14	3/8"	14 mm	1	



RECAMBIOS MARINOS